

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|---------------------|
| L1 | 1 | "7162571".pn. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/31 00:32 |
| L2 | 4705 | 709/219.ccls. (@ad<"20031209" OR @rlad<"20031209") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/31 00:32 |
| L3 | 335 | ("content addressable storage" or "associative storage") (@ad<"20031209" OR @rlad<"20031209") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/31 00:32 |
| L4 | 315 | ("content addressable storage" or "associative storage") (time or timestamp) (@ad<"20031209" OR @rlad<"20031209") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/31 00:32 |
| L5 | 308 | ("content addressable storage" or "associative storage") (time or timestamp) (@ad<"20031209" OR @rlad<"20031209") not emc. as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/31 00:32 |
| L6 | 1 | ("6601090").PN. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | OFF | 2008/07/31 00:32 |
| L7 | 4 | "7263576".pn. OR "7159070". pn. or "7240150".pn. or "7240151".pn. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/31 00:32 |
| L8 | 1 | ("6601090").PN. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | OFF | 2008/07/31 00:32 |
| L9 | 1 | ("7062570").PN. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | OFF | 2008/07/31 00:32 |

| | | | | | | |
|-----|------|--|---|-----|-----|---------------------|
| L10 | 74 | ("content addressable storage") (time or timestamp) (@ad<"20031209" OR @rlad<"20031209") not emc.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/31 00:32 |
| L11 | 1 | "7162571".pn. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/31 00:32 |
| L12 | 4705 | 709/219.cdis. (@ad<"20031209" OR @rlad<"20031209") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/31 00:32 |
| L13 | 335 | ("content addressable storage" or "associative storage") (@ad<"20031209" OR @rlad<"20031209") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/31 00:32 |
| L14 | 315 | ("content addressable storage" or "associative storage") (time or timestamp) (@ad<"20031209" OR @rlad<"20031209") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/31 00:32 |
| L15 | 308 | ("content addressable storage" or "associative storage") (time or timestamp) (@ad<"20031209" OR @rlad<"20031209") not emc.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/31 00:32 |
| L16 | 1 | ("6601090").PN. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | OFF | 2008/07/31 00:32 |
| L17 | 4 | "7263576".pn. OR "7159070".pn. or "7240150".pn. or "7240151".pn. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/31 00:32 |
| L18 | 1 | ("6601090").PN. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | OFF | 2008/07/31 00:32 |
| L19 | 1 | ("7062570").PN. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | OFF | 2008/07/31 00:32 |

| | | | | | | |
|-----|--------|--|---|-----|-----|---------------------|
| L20 | 74 | ("content addressable storage") (time or timestamp) (@ad< "20031209" OR @rlad< "20031209") not emc.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/31 00:32 |
| L21 | 843811 | ("content addressable storage" or "associative storage" or CAS) (time or timestamp or proximate) (@ad< "20031209" OR @rlad< "20031209") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/31 00:32 |
| L22 | 4705 | 709/219.ccls. (@ad< "20031209" OR @rlad< "20031209") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/31 00:32 |
| L23 | 317 | ("content addressable storage" or "associative storage") (time or timestamp or proximate) (@ad< "20031209" OR @rlad< "20031209") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/31 00:32 |
| L24 | 190 | ("content addressable storage" or "associative storage") address SAME (time or timestamp or proximate) (@ad< "20031209" OR @rlad< "20031209") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/31 00:32 |
| L25 | 1 | ("7162571").PN. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | OFF | 2008/07/31 00:32 |
| L26 | 427870 | ((storage or data or cache) near3 system) (time or timestamp) (@ad< "20031209" OR @rlad< "20031209") not emc.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/31 00:32 |
| L27 | 136570 | ((storage or data or cache) near3 system) SAME (time or timestamp) (@ad< "20031209" OR @rlad< "20031209") not emc.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/31 00:32 |
| L28 | 15817 | ((storage or data or cache) near3 system) hash (@ad< "20031209" OR @rlad< "20031209") not emc.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/31 00:32 |

| | | | | | | |
|-----|-------|--|---|-----|----|---------------------|
| L29 | 25231 | ((storage or data or cache) near3 system) (hash or checksum) (@ad<"20031209" OR @rlad<"20031209") not emc.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/31 00:32 |
| L30 | 26039 | ((storage or data or content) near3 system) (hash or checksum) (@ad<"20031209" OR @rlad<"20031209") not emc.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/31 00:32 |
| L31 | 25403 | ((storage or data or content) near3 system) (hash or checksum) (time or timestamp or proximate or clock) (@ad<"20031209" OR @rlad<"20031209") not emc.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/31 00:32 |
| L32 | 25523 | ((storage or data or content) near3 system) (hash or checksum) (time or timestamp or proximate or clock) (@ad<"20031209" OR @rlad<"20031209") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/31 00:32 |
| L33 | 16088 | ((storage or data or content) near3 system) hash (time or timestamp or proximate or clock) (@ad<"20031209" OR @rlad<"20031209") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/31 00:32 |
| L34 | 11719 | ((storage or data or content) near3 system) hash (time or timestamp or proximate or clock) SAME (index or table or key) (@ad<"20031209" OR @rlad<"20031209") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/31 00:32 |
| L35 | 12512 | ((storage or data or content) near3 system) hash (time or timestamp or proximate or clock) SAME (index or table or key or hash) (@ad<"20031209" OR @rlad<"20031209") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/31 00:32 |
| L36 | 3621 | ((storage or data or content) adj system) hash (time or timestamp or proximate or clock) SAME (index or table or key or hash) (@ad<"20031209" OR @rlad<"20031209") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/31 00:32 |

| | | | | | | |
|-----|-------|--|---|-----|----|---------------------|
| L37 | 242 | ((storage or data or content) adj system) SAME hash (time or timestamp or proximate or clock) SAME (index or table or key or hash) (@ad< "20031209" OR @riad< "20031209") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/31 00:32 |
| L38 | 22 | ((storage or data or content) adj system) SAME hash (time or timestamp or proximate or clock) SAME (index or table or key or hash) (@ad< "20031209" OR @riad< "20031209") (Content adj addressable) | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/31 00:32 |
| L39 | 1410 | (Content adj addressable) (hash or checksum) (time or timestamp or proximate or clock) (@ad< "20031209" OR @riad< "20031209") not emc. as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/31 00:32 |
| L40 | 545 | (Content adj addressable) "709"/\$.cds. (@ad< "20031209" OR @riad< "20031209") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/31 00:32 |
| L41 | 242 | ((storage or data or content) adj system) SAME hash (time or timestamp or proximate or clock) SAME (index or table or key or hash) (@ad< "20031209" OR @riad< "20031209") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/31 00:32 |
| L42 | 16406 | ((storage or data or content) adj2 system) (hash or checksum) (@ad< "20031209" OR @riad< "20031209") not emc. as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/31 00:32 |
| L43 | 8762 | ((storage or data or content) adj2 system) (hash or checksum) (time or proximate or sequential) WITH (write or access or create or creation) (@ad< "20031209" OR @riad< "20031209") not emc. as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/31 00:32 |

| | | | | | | |
|-----|------|---|---|-----|----|---------------------|
| L44 | 8855 | ((storage or data or content) adj2 system) (hash or checksum) (time or proximate or sequential) WITH (write or access or create or creation) (@ad< "20031209" OR @riad< "20031209") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/31 00:32 |
| L45 | 4333 | ((storage or data or content) adj system) (hash or checksum) (time or proximate or sequential) WITH (write or access or create or creation) (@ad< "20031209" OR @riad< "20031209") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/31 00:32 |
| L46 | 387 | ((storage or data or content) adj system) (hash or checksum) (time or proximate or sequential) WITH (write or access or create or creation) (@ad< "20031209" OR @riad< "20031209") (content with addressable) | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/31 00:32 |
| L47 | 50 | ("content addressable storage" or "associative storage") SAME (time or timestamp) @ad< "20031209" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/31 00:32 |
| L48 | 335 | ("content addressable storage" or "associative storage") (@ad< "20031209" OR @riad< "20031209") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/31 00:32 |
| L49 | 902 | ((storage or data or content) WITH system) hash (time or timestamp or proximate or clock) SAME (index or table or key or hash) content adj2 addressable (@ad< "20031209" OR @riad< "20031209") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/07/31 00:32 |
| S1 | 1 | "7162571".pn. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2007/09/08 16:19 |
| S2 | 4233 | 709/219.ccls. (@ad< "20031209" OR @riad< "20031209") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2007/09/08 16:20 |

| | | | | | | |
|-----|------|---|---|-----|-----|---------------------|
| S3 | 325 | ("content addressable storage" or "associative storage") (@ad<"20031209" OR @rlad<"20031209") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2007/09/08 16:22 |
| S4 | 305 | ("content addressable storage" or "associative storage") (time or timestamp) (@ad<"20031209" OR @rlad<"20031209") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2007/09/08 16:23 |
| S5 | 299 | ("content addressable storage" or "associative storage") (time or timestamp) (@ad<"20031209" OR @rlad<"20031209") not emc.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2007/09/10 17:03 |
| S6 | 1 | ("6601090").PN. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | OFF | 2007/09/08 17:12 |
| S7 | 4 | "7263576".pn. OR "7159070".pn. or "7240150".pn. or "7240151".pn. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2007/09/08 17:15 |
| S8 | 1 | ("6601090").PN. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | OFF | 2007/09/10 17:02 |
| S9 | 1 | ("7062570").PN. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | OFF | 2007/09/10 17:02 |
| S10 | 71 | ("content addressable storage") (time or timestamp) (@ad<"20031209" OR @rlad<"20031209") not emc.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2007/09/10 17:03 |
| S11 | 1 | "7162571".pn. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/03/22 14:37 |
| S12 | 4496 | 709/219.ccls. (@ad<"20031209" OR @rlad<"20031209") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/03/22 14:37 |
| S13 | 329 | ("content addressable storage" or "associative storage") (@ad<"20031209" OR @rlad<"20031209") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/03/22 14:37 |

| | | | | | | |
|-----|--------|--|---|-----|-----|---------------------|
| S14 | 309 | ("content addressable storage" or "associative storage") (time or timestamp) (@ad<"20031209" OR @riad<"20031209") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/03/22 14:37 |
| S15 | 303 | ("content addressable storage" or "associative storage") (time or timestamp) (@ad<"20031209" OR @riad<"20031209") not emc.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/03/22 14:37 |
| S16 | 1 | ("6601090").PN. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | OFF | 2008/03/22 14:37 |
| S17 | 4 | "7263576".pn. OR "7159070".pn. or "7240150".pn. or "7240151".pn. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/03/22 14:37 |
| S18 | 1 | ("6601090").PN. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | OFF | 2008/03/22 14:37 |
| S19 | 1 | ("7062570").PN. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | OFF | 2008/03/22 14:37 |
| S20 | 71 | ("content addressable storage") (time or timestamp) (@ad<"20031209" OR @riad<"20031209") not emc.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/03/22 14:37 |
| S21 | 832422 | ("content addressable storage" or "associative storage" or CAS) (time or timestamp or proximate) (@ad<"20031209" OR @riad<"20031209") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/03/22 16:02 |
| S22 | 4496 | 709/219.cds. (@ad<"20031209" OR @riad<"20031209") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/03/22 16:07 |
| S23 | 311 | ("content addressable storage" or "associative storage") (time or timestamp or proximate) (@ad<"20031209" OR @riad<"20031209") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/03/22 16:08 |

| | | | | | | |
|-----|--------|---|---|-----|-----|---------------------|
| S24 | 186 | ("content addressable storage" or "associative storage") address SAME (time or timestamp or proximate) (@ad< "20031209" OR @rlad< "20031209") | US-PGPUB, USPAT; USOCR, EPO; IBM_TDB | AND | ON | 2008/03/22 16:08 |
| S25 | 1 | ("7162571").PN. | US-PGPUB, USPAT; USOCR, EPO; IBM_TDB | OR | OFF | 2008/03/22 16:40 |
| S26 | 419655 | ((storage or data or cache) near3 system) (time or timestamp) (@ad< "20031209" OR @rlad< "20031209") not emc. as. | US-PGPUB, USPAT; USOCR, EPO; IBM_TDB | AND | ON | 2008/03/22 16:47 |
| S27 | 133847 | ((storage or data or cache) near3 system) SAME (time or timestamp) (@ad< "20031209" OR @rlad< "20031209") not emc. as. | US-PGPUB; USPAT; USOCR, EPO; IBM_TDB | AND | ON | 2008/03/22 16:47 |
| S28 | 15226 | ((storage or data or cache) near3 system) hash (@ad< "20031209" OR @rlad< "20031209") not emc. as. | US-PGPUB; USPAT; USOCR, EPO; IBM_TDB | AND | ON | 2008/03/22 16:47 |
| S29 | 24410 | ((storage or data or cache) near3 system) (hash or checksum) (@ad< "20031209" OR @rlad< "20031209") not emc. as. | US-PGPUB; USPAT; USOCR, EPO; IBM_TDB | AND | ON | 2008/03/22 16:47 |
| S30 | 25167 | ((storage or data or content) near3 system) (hash or checksum) (@ad< "20031209" OR @rlad< "20031209") not emc. as. | US-PGPUB; USPAT; USOCR, EPO; IBM_TDB | AND | ON | 2008/03/22 16:48 |
| S31 | 24550 | ((storage or data or content) near3 system) (hash or checksum) (time or timestamp or proximate or clock) (@ad< "20031209" OR @rlad< "20031209") not emc. as. | US-PGPUB; USPAT; USOCR, EPO; IBM_TDB | AND | ON | 2008/03/22 16:48 |

| | | | | | | |
|-----|-------|---|---|-----|----|---------------------|
| S32 | 24667 | ((storage or data or content) near3 system) (hash or checksum) (time or timestamp or proximate or clock) (@ad<"20031209" OR @riad<"20031209") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/03/22 16:48 |
| S33 | 15464 | ((storage or data or content) near3 system) hash (time or timestamp or proximate or clock) (@ad<"20031209" OR @riad<"20031209") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/03/22 16:48 |
| S34 | 11224 | ((storage or data or content) near3 system) hash (time or timestamp or proximate or clock) SAME (index or table or key) (@ad<"20031209" OR @riad<"20031209") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/03/22 17:22 |
| S35 | 12000 | ((storage or data or content) near3 system) hash (time or timestamp or proximate or clock) SAME (index or table or key or hash) (@ad<"20031209" OR @riad<"20031209") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/03/22 17:22 |
| S36 | 3465 | ((storage or data or content) adj system) hash (time or timestamp or proximate or clock) SAME (index or table or key or hash) (@ad<"20031209" OR @riad<"20031209") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/03/23 15:02 |
| S37 | 233 | ((storage or data or content) adj system) SAME hash (time or timestamp or proximate or clock) SAME (index or table or key or hash) (@ad<"20031209" OR @riad<"20031209") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/03/23 15:06 |
| S38 | 18 | ((storage or data or content) adj system) SAME hash (time or timestamp or proximate or clock) SAME (index or table or key or hash) (@ad<"20031209" OR @riad<"20031209") (Content adj addressable) | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/03/23 15:07 |
| S39 | 1352 | (Content adj addressable) (hash or checksum) (time or timestamp or proximate or clock) (@ad<"20031209" OR @riad<"20031209") not emc.as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/03/23 15:07 |

| | | | | | | |
|-----|-------|---|---|-----|----|---------------------|
| S40 | 524 | (Content adj addressable) "709"/\$.ocls. (@ad<"20031209" OR @riad<"20031209") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/03/23 15:08 |
| S41 | 233 | ((storage or data or content) adj system) SAME hash (time or timestamp or proximate or clock) SAME (index or table or key or hash) (@ad<"20031209" OR @riad<"20031209") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/03/23 15:08 |
| S42 | 15847 | ((storage or data or content) adj2 system) (hash or checksum) (@ad<"20031209" OR @riad<"20031209") not emc. as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/03/23 15:08 |
| S43 | 8465 | ((storage or data or content) adj2 system) (hash or checksum) (time or proximate or sequential) WITH (write or access or create or creation) (@ad<"20031209" OR @riad<"20031209") not emc. as. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/03/23 15:08 |
| S44 | 8555 | ((storage or data or content) adj2 system) (hash or checksum) (time or proximate or sequential) WITH (write or access or create or creation) (@ad<"20031209" OR @riad<"20031209") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/03/23 15:08 |
| S45 | 4182 | ((storage or data or content) adj system) (hash or checksum) (time or proximate or sequential) WITH (write or access or create or creation) (@ad<"20031209" OR @riad<"20031209") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/03/23 15:08 |
| S46 | 370 | ((storage or data or content) adj system) (hash or checksum) (time or proximate or sequential) WITH (write or access or create or creation) (@ad<"20031209" OR @riad<"20031209") (content with addressable) | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/03/23 15:09 |

| | | | | | | |
|-----|-----|--|---|-----|----|---------------------|
| S47 | 50 | ("content addressable storage" or "associative storage") SAME (time or timestamp) @ad<"20031209" | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/03/23 15:09 |
| S48 | 329 | ("content addressable storage" or "associative storage") (@ad<"20031209" OR @riad<"20031209") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/03/23 15:09 |
| S49 | 860 | ((storage or data or content) WITH system) hash (time or timestamp or proximate or clock) SAME (index or table or key or hash) content adj2 addressable (@ad<"20031209" OR @riad<"20031209") | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | AND | ON | 2008/03/23 15:09 |

7/31/08 12:35:29 AM

C:\Documents and Settings\ntaylor5\My Documents\EAST\Workspaces\app10.731845.wsp